

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claim 1 (currently amended): A method for representing a scene, comprising:

providing a higher-level appearance description of an appearance geometry in a retained-mode representation, wherein the higher-level appearance description is created using a first appearance description; and

selecting a representational level for a parameter or object in the higher-level appearance description; and

traversing the retained-mode representation according to the selected representational level to provide a final representation that can be rendered by a graphics pipeline.

C, **Claim 2 (original):** The method of claim 1, wherein the retained-mode representation is a scene graph.

Claim 3 (original): The method of claim 1, further comprising traversing the retained-mode representation to provide another retained-mode representation and traversing the another retained-mode representation to provide the final representation of the scene.

Claim 4 (original): The method of claim 1, further comprising drawing a scene from the final representation.

Claim 5 (original): The method of claim 1, wherein the step of traversing includes automatically selecting appearance detail from the retained-mode representation.

Claim 6 (original): The method of claim 1, wherein the step of traversing includes defining a parametric surface from the higher-level appearance description and retaining geometry parameters from the parametric surface.

Claim 7 (original): The method of claim 1, wherein the step of traversing includes selecting the final representation based on at least one of the group consisting of performance characteristics of the graphics pipeline and memory characteristics of the graphics pipeline.

Claim 8 (currently amended): A scene representation system, comprising:

- a processor;
- a computer-readable medium coupled to the processor;
- a higher-level appearance description residing on the computer-readable medium, the higher-level appearance description represented by an appearance of geometry in a retained-mode representation that is traversed according to a selected representational level of a parameter or object in the higher-level appearance description to provide a final representation that can be rendered by a graphics pipeline, wherein the higher-level appearance description is created using a first appearance description; and

wherein the graphics pipeline is coupled to the computer-readable medium and operable to render the final representation.

Claim 9 (original): The system of claim 8, wherein the retained-mode representation is a scene graph.

Claim 10 (original): The system of claim 8, wherein the retained-mode representation is traversed to provide another retained-mode representation, the another retained-mode representation being traversed to provide the final representation of the scene.

Claim 11 (original): The system of claim 8, wherein the higher-level appearance description is one of the group consisting of a programmable shading algorithm, a bump map, and a reflective map.

Claim 12 (original): The system of claim 8, wherein the retained-mode representation is traversed by including automatic selection of appearance detail from the retained mode representation.

Claim 13 (original): The system of claim 8, wherein the higher-level appearance description is operable to select geometry parameters to a level of detail that minimizes at least a portion of total hardware resource consumption.

Claim 14 (previously presented): The system of claim 8, further comprising a graphics system interface coupled to the processor and to the graphics pipeline, the graphics system interface operable to control the graphics pipeline and to perform at least a subset of the functions of those performed by the graphics system interface sold under the trademark OpenGL®, wherein the OpenGL® graphics system interface is a graphics system interface capable of cooperating with graphics pipeline.

Claim 15 (currently amended): An infrastructure for representing a scene, comprising:
a computer-readable medium; and
software resident on the computer-readable medium and operable to generate a higher-level appearance description of an appearance of geometry in a retained-mode representation, to select a representational level of a parameter or object in the higher-level appearance description and to traverse the retained-mode representation according to the selected representational level to provide a final representation that can be rendered by a graphics pipeline, wherein the higher-level appearance description is created using a first appearance description.

C \

Claim 16 (original): The infrastructure of claim 15, wherein the higher-level appearance description is operable to select geometry parameters to a level of detail that minimizes at least a portion of total hardware resource consumption.

Claim 17 (original): The infrastructure of claim 15, wherein the higher-level appearance description is operable to select geometry parameters to a level of detail that minimizes at least a portion of total hardware resource consumption.

Claim 18 (original): The infrastructure of claim 15, wherein the higher-level appearance description is one of the group consisting of a programmable shading algorithm, a bump map, and a reflective map.

DOCKET NO.: MSFT-0992/191789.1
Application No.: 09/832,138
Office Action Dated: January 8, 2004

**PATENT
REPLY FILED UNDER EXPEDITED
PROCEDURE PURSUANT TO
37 CFR § 1.116**

Claim 19 (original): The infrastructure of claim 15, wherein the retained-mode representation is a scene graph.

C1
Claim 20 (original): The infrastructure of claim 15, wherein the software is further operable to traverse the retained-mode representation by including automatically selecting appearance detail from the retained-mode representation.
